

PHEROCON[®]

INSECT MONITORING SYSTEMS



INSECT PHEROMONE & KAIROMONE SYSTEMS

Your Edge – And Ours – Is Knowledge.

www.trece.com

PHEROCON®

INSECT MONITORING SYSTEMS



PHEROCON® VI Trap



PHEROCON® 1C Trap



PHEROCON® 1CP Trap



PHEROCON® IIB & IIC Traps



PHEROCON® V Trap



PHEROCON® Tent Trap



*PHEROCON® AM,
AM/NB Trap*



PHEROCON® IIID Trap



*PHEROCON® IV
(NOW) Egg Trap*



PHEROCON® Bucket Trap



PHEROCON® SWD Trap



*PHEROCON® Japanese
Beetle Trap*



*PHEROCON® Japanese Beetle
Xpando Trap*



Lures

- A. PHEROCON® Septa Lures
- B. PHEROCON® WHF & CFF Peelable Superchargers
- C. PHEROCON® SWD Broad Spectrum Lures
- D. PHEROCON® SWD High Specificity Lures
- E. PHEROCON® NOW L² Low and NOW L² High
- F. PHEROCON® Pepper Weevil Dual Lures
- G. PHEROCON® JB Dual Lures
- H. PHEROCON® CMDA COMBO + AA Lure
- I. PHEROCON® NOW (Egg Trap) Bait



| Cydia pomonella (Codling Moth) | | Product Code | Acronym | Trap |
|---------------------------------------|---|---------------------|----------------|----------------|
| KITS | PHEROCON® CM-DA COMBO™ 3-Station Kit (8 week lures, VI Traps) | 4562-03 | CM-DA | 1CP / VI / IIB |
| | CM Long-Life™, L ^{2™} 3-Station Kit (12 week lures, 1CP Traps) | 4511-53 | CM | 1CP / VI / IIB |
| | CM Standard 3-Station Kit (Std. 4 week lures, 1CP Traps) | 3511-03 | CM | 1CP / VI / IIB |
| | CM Master Fieldman™ Long-Life™, L ^{2™} Kit (25 traps, 25 lures) 12 week lures, 1CP Traps | 4611-25 | CM | 1CP / VI / IIB |
| | CM Master Fieldman™ Kit (25 traps, 25 lures) Std. 4 week lures, 1CP Traps | 3611-25 | CM | 1CP / VI / IIB |
| LURES | PHEROCON® CM-DA COMBO™ Lure + AA Lure 8 wk longevity (case/10) | 3462-10 | CM-DA + AA | 1CP / VI / IIB |
| | PHEROCON® CM-DA COMBO™ Lure 8 week longevity (case/25) | 3461-25 | CM-DA | 1CP / VI / IIB |
| | PHEROCON® DA Lure 8 week longevity (case/25) | 3460-25 | DA | 1CP / VI / IIB |
| | CM Long-Life™, L ^{2™} Lures 12 week longevity (case/25) | 4111-25 | CM | 1CP / VI / IIB |
| | CM Standard Lure 4 week longevity (case/25) | 3111-25 | CM | 1CP / VI / IIB |
| | CM 10X Lure For Mating Disruption Monitoring Only. 2-3 week longevity (case/25) | 3160-25 | CM | 1CP / VI / IIB |
| | CM MEGALURE™ For Mating Disruption Monitoring Only. 10-12 week longevity (case/25) | 5111-25 | CM | 1CP / VI / IIB |

| Grapholita molesta (Oriental Fruit Moth) | | | | |
|---|--|---------|-----|---------------|
| KITS | OFM Long-Life™, L ^{2™} 3-Station Kit (12 week lures, 1C Traps) | 4502-53 | OFM | 1C / VI / IIC |
| | OFM Standard 3-Station Kit (4 week lures, 1C Traps) | 3502-03 | OFM | 1C / VI / IIC |
| | OFM Master Fieldman Long-Life™, L ^{2™} Kit (25 traps, 25 lures) 12 week lures, 1C Traps | 4602-25 | OFM | 1C / VI / IIC |
| | OFM Master Fieldman™ Kit (25 traps, 25 lures) Std. 4 week lures, 1C Traps | 3602-25 | OFM | 1C / VI / IIC |
| LURES | PHEROCON® OFM COMBO™ DUAL-LURE For Mating Disruption Monitoring Only 8-10 week longevity (case/10) | 3472-10 | OFM | 1C / VI / IIC |
| | OFM Standard Lure 4 week longevity (case/25) | 3102-25 | OFM | 1C / VI / IIC |
| | OFM Long-Life™, L ^{2™} 12 week longevity (case/25) | 4102-25 | OFM | 1C / VI / IIC |

| Anarsia lineatella (Peach Twig Borer) | | | | |
|--|--|---------|-----|---------------|
| KITS | PTB Long-Life™, L ^{2™} 3-Station Kit (12 week lures, 1C Traps) | 4513-53 | PTB | 1C / VI / IIC |
| | PTB Standard 3-Station Kit (4 week lures, 1C Traps) | 3513-03 | PTB | 1C / VI / IIC |
| | PTB Master Fieldman Long-Life™, L ^{2™} (25 traps, 25 lures) 12 week lures, 1C Traps | 4613-25 | PTB | 1C / VI / IIC |
| | PTB Master Fieldman™ Kit (25 traps, 25 lures) Std. 4 week lures, 1C Traps | 3613-25 | PTB | 1C / VI / IIC |
| LURES | PTB Standard Lure 4 week longevity (case/25) | 3113-25 | PTB | 1C / VI / IIC |
| | PTB Long-Life™, L ^{2™} 12 week longevity (case/25) | 4113-25 | PTB | 1C / VI / IIC |

CATEGORY I

| Scientific Name | Common Name | Product Code 3-Station Kits (12 weeks) | Product Code Lures (4 week lures) | Acronym | Trap |
|--------------------------------------|-----------------------------------|---|--|----------------|-----------------|
| <i>Acrobasis nuxvorella</i> | Pecan Nut Casebearer | 4236-03 | 3236-25 | PNCB | 1CP / VI / IIID |
| <i>Agrotis ipsilon</i> | Black Cutworm | 3541-03 | 3141-25 | BCW | 1C / BUC / VI |
| <i>Archips argyrospila</i> | Fruittree Leafroller | 3517-03 | 3117-25 | FTLR | 1C / VI / IIC |
| <i>Archips podana</i> | Fruittree Tortrix | 3523-03 | 3123-25 | ARPO | 1C / VI / IIC |
| <i>Argyrotaenia citrana</i> | Orange Tortrix | 3534-03 | 3134-25 | OT | 1C / IIB / IIC |
| <i>Argyrotaenia velutinana</i> | Redbanded Leafroller | 3503-03 | 3103-25 | RBLR | 1CP / VI / IIB |
| <i>Autographa gamma</i> | Silver Y Moth | 4429-03 | 3429-25 | SYM | 1C / VI / IIC |
| <i>Bactrocera zonata</i> | Peach Fruit Fly | | 3246-25 | PFF | 1C / AM/NB |
| <i>Ceratitis capitata</i> | Mediterranean Fruit Fly | 3529-03 | 3129-25 | MFF | II / JT |
| <i>Choristoneura rosaceana</i> | Obliquebanded Leafroller | 4208-03 | 3208-25 | OBLR | 1C / VI / IIC |
| <i>Choristoneura rosaceana</i> | Obliquebanded Leafroller, W | 4223-03 | 3223-25 | OBLR-W | 1C / VI / IIC |
| <i>Chrysoteuchia topiaria</i> | Cranberry Girdler | 4202-03 | 3202-25 | CBG | 1C / VI / IIC |
| <i>Cydia caryana</i> | Hickory Shuckworm | 4414-03 | 3414-25 | HSW | 1C / VI / IIC |
| <i>Cydia latiferreana</i> | Filbertworm | 4203-03 | 3203-25 | FBW | 1C / VI / IIC |
| <i>Cydia splendana</i> | Chestnut Tortrix | 4521-03 | 4121-25 | CNT | 1C / VI / IIC |
| <i>Diatraea grandiosella</i> | Southwestern Corn Borer | 4409-03 | 3409-25 | SWCB | 1C / VI / IIC |
| <i>Endopiza viteana</i> | Grape Berry Moth | 3526-03 | 3126-25 | GBM | 1C / VI / IIC |
| <i>Euzophera pinguis</i> | Olive Pyralid Moth | | 3469-25 | OPM | 1C / VI / IIC |
| <i>Grapholita funebrana</i> | Plum Fruit Moth | 3512-03 | 3112-25 | GFUN | 1C / VI / IIC |
| <i>Grapholita packardii</i> | Cherry Fruitworm | | 3260-25 | CFW | 1C / VI / IIC |
| <i>Grapholita prunivora</i> | Lesser Appleworm | 3518-03 | 3118-25 | LAW | 1C / IIB / IIC |
| <i>Helicoverpa zea</i> | Corn Earworm | 3538-03 | 3138-25 | CEW | 1C / BUC / VI |
| <i>Homoeosoma electellum</i> | Sunflower Moth | 4204-03 | 3204-25 | SHM | 1C / IIC / VI |
| <i>Keiferia lycopersicella</i> | Tomato Pinworm | 3542-03 | 3142-25 | TPW | 1C / VI / IIC |
| <i>Lacanobia subjuncta</i> | Speckled Cutworm | 3643-03 | 3243-25 | LSJ | 1C / BUC / VI |
| <i>Melittia cucurbitae</i> | Squash Vine Borer | | 3254-25 | SVB | 1C / BUC / VI |
| <i>Ostrinia nubilalis</i> | European Corn Borer | 4413-03 | 3413-25 | ECB-III | 1C / BUC / VI |
| <i>Ostrinia nubilalis</i> | European Corn Borer: Iowa | 3510-03 | 3110-25 | ECB IA | 1C / BUC / VI |
| <i>Ostrinia nubilalis</i> | European Corn Borer: New York | 3536-03 | 3136-25 | ECB NY | 1C / BUC / VI |
| <i>Pandemis cerasana</i> | Barred Fruit Tree Tortrix | 4239-03 | 3239-25 | PC | 1C / VI / IIC |
| <i>Pandemis limitata</i> | Threelined Leafroller-Pandemis/US | 3547-03 | 3147-25 | PL | 1C / IIB / IIC |
| <i>Pectinophora gossypiella</i> | Pink Bollworm | 3524-03 | 3124-25 | PBW | II / IIID |
| <i>Peridroma saucia</i> | Variagated Cutworm | 4201-03 | 3201-25 | VGC | 1C / BUC / VI |
| <i>Platynota idaeusalis</i> | Tufted Apple Bud Moth | 3515-03 | 3115-25 | TBM | 1C / VI / IIC |
| <i>Platynota stultana</i> | Omnivorous Leafroller | 3533-03 | 3133-25 | OLR | 1C / VI / IIC |
| <i>Platyptilia carduidactyla</i> | Artichoke Plume Moth | 3170-03 | 3170-25 | APM | BUC |
| <i>Prays oleae</i> | Olive Moth | 3550-03 | 3150-25 | OM | 1C / II / IIB |
| <i>Proteoterus aesculana (Riley)</i> | Maple Shoot Borer | | 3268-25 | MPSB | 1C / VI / IIC |

CATEGORY I continued

| Scientific Name | Common Name | Product Code 3-Station Kits (12 weeks) | Product Code Lures (4 week lures) | Acronym | Trap |
|--------------------------------|--------------------------------|---|--------------------------------------|---------|---------------|
| <i>Rhopobota naevana</i> | Blackheaded Fireworm | 4408-03 | 3408-25 | BFM | 1C / VI / IIC |
| <i>Rhyacionia buoliana</i> | European Pine Shoot Moth | 3532-03 | 3132-25 | EPSM | 1C / VI / IIC |
| <i>Rhyacionia frustrana</i> | Nantucket Pine Tip Moth | 4405-03 | 3405-25 | NPTM | 1C / BUC / VI |
| <i>Sparganothis sulfureana</i> | Sparganothis Fruitworm Moth | 4403-03 | 3403-25 | SPAR | 1C / VI / IIC |
| <i>Spodoptera exigua</i> | Beet Armyworm | 4210-03 | 3210-25 | BAW | 1C / BUC / VI |
| <i>Spodoptera frugiperda</i> | Fall Armyworm | 3543-03 | 3143-25 | FAW | 1C / BUC / VI |
| <i>Spodoptera littoralis</i> | Egyptian Cotton Leafworm | 3530-03 | 3130-25 | SPOD-I | 1C / BUC / VI |
| <i>Spodoptera litura</i> | Tobacco Cutworm | | 3271-25 | TCW | 1C / BUC |
| <i>Spodoptera praefica</i> | Western Yellowstriped Armyworm | 4438-03 | 3438-25 | WYA | 1C / BUC / VI |
| <i>Striacosta albicosta</i> | Western Bean Cutworm | 4406-03 | 3406-25 | WBCW | 1C / VI / IIC |

CATEGORY II

| | | | | | |
|------------------------------------|-------------------------------------|---------|---------|----------|------------------|
| <i>Acleris rhombana</i> | Rhomboid Tortrix | 4417-03 | 3417-25 | ARB | 1C / VI / IIC |
| <i>Acrobasis nuxvorella Neuzig</i> | Pecan Nut Casebearer-Mexican Strain | | 3244-25 | PNCB-M | 1CP / VI / IIID |
| <i>Acrolepiopsis assectella</i> | Leek Moth | 4222-03 | 3222-25 | LEM | 1C / BUC / VI |
| <i>Adoxophyes honmai</i> | Smaller Tea Tortrix | 4423-03 | 3116-25 | ADOX-F | 1C / VI / IIC |
| <i>Adoxophyes orana</i> | Summer Fruit Tortrix | 3509-03 | 3109-25 | ADOX-O | 1C / VI / IIC |
| <i>Agrotis orthogonia</i> | Pale Western Cutworm | 4436-03 | 3436-25 | PWC | 1C / BUC / VI |
| <i>Amorbia cuneana</i> | Amorbia: Southern Ca | 4427-03 | 3427-25 | AMOR-SC | 1C / VI / IIC |
| <i>Amorbia cuneana</i> | Amorbia: San Joaquin | 4420-03 | 3420-25 | AMOR-SJ | 1C / IIB / IIC |
| <i>Anomala orientalis</i> | Oriental Beetle | 4442-03 | 3442-25 | OB | JB |
| <i>Anthonomus grandis</i> | Boll Weevil | 4419-03 | 3419-25 | BW | BW |
| <i>Apamea devastator</i> | Glassy Cutworm | 4105-03 | 3105-25 | GCW | 1C / VI / IIC |
| <i>Archips cerasivorana</i> | Uglynest Caterpillar | 4434-03 | 3434-25 | UGG | 1C / VI / IIC |
| <i>Archips rosanus</i> | Filbert Leafroller | 3548-03 | 3148-25 | AROS | 1C / VI / IIC |
| <i>Argyrotaenia ljungian</i> | Grape Tortrix | | 3468-25 | AP | 1C / VI / IIC |
| <i>Autographa californica</i> | Alfalfa Looper | 4206-03 | 3206-25 | AFL | 1C / VI / IIC |
| <i>Bactrocera cucurbitae</i> | Melon Fly | 4225-03 | 3225-25 | MLF | 1C / VI / IIC |
| <i>Bactrocera dorsalis</i> | Oriental Fruit Fly | 4226-03 | 3226-25 | OFF | II / JT |
| <i>Busseola fusca</i> | Maize Stalk Borer | 4412-03 | 3412-25 | MSB | 1C / BUC / VI |
| <i>Cacoecia pronubana</i> | Citrus Leafroller | 3525-03 | 3125-25 | CACO | 1C / IIB / IIC |
| <i>Cactoblastis cactorum</i> | Cactus Moth | | 3248-25 | CCM | 1C / VI / IIC |
| <i>Chilo partellus</i> | Spotted Stalk Borer | 4232-03 | 3232-25 | SSB | 1C / BUC / VI |
| <i>Choristoneura fumiferana</i> | Eastern Spruce Budworm | 4435-03 | 3435-25 | ESB | 1C / VI / IIC |
| <i>Cryptoblabes gnidiella</i> | Honeydew Moth | 4463-01 | 3463-25 | HDM | 1C / VI / IIC |
| <i>Cryptophlebia leucotreta</i> | False Codling Moth | 3531-03 | 3131-25 | FCM | 1C / VI / IIC |
| <i>Curculio caryae</i> | Pecan Weevil | | 3423-25 | PCW | |
| <i>Cylas formicarius</i> | Sweet Potato Weevil | | 3252-25 | SPW | BUC |
| <i>Diaphania nitidalis</i> | Pickleworm | | 3422-25 | PW | |
| <i>Diatraea considerata</i> | New World Stalkborer | | 3259-25 | NWSB | 1C / VI / IIC |
| <i>Earias insulana</i> | Spiny Bollworm | 4211-03 | 3211-25 | SBW | IIB / IIID / BUC |
| <i>Ectomyelois ceratoniae</i> | Carob Moth | 4523-06 | 4123-25 | CARM | 1CP / VI / IIB |
| <i>Elasmopalpus lignosellus</i> | Lesser Cornstalk Borer | 4407-03 | 3407-25 | LCSB | 1C / IIB / IIC |
| <i>Enarmonia formosana</i> | Cherry Bark Tortrix | 4218-03 | 3218-25 | CBT | 1C / VI / IIC |
| <i>Epiphyas postvittana</i> | Light Brown Apple Moth | 4426-03 | 3426-25 | LBAM | 1C / IIB / IIC |
| <i>Eupoecilia ambiguella</i> | European Grape Berry Moth | 3549-03 | 3149-25 | CA | 1C / IIID / IIB |
| <i>Fumibotys fumalis</i> | Mint Root Borer | 4437-03 | 3437-25 | MRB | 1C / IIB / IIC |
| <i>Harrisina brillians</i> | Western Grapeleaf Skeletonizer | | 3448-25 | WGLS | 1C / VI / IIC |
| <i>Helicoverpa armigera</i> | American Bollworm | 4416-03 | 3416-25 | ABW | 1C / VI / IIC |
| <i>Heliopsis virescens</i> | Tobacco Budworm | 3522-03 | 3122-25 | TBW | 1C / VI / IIC |
| <i>Lobesia botrana</i> | European Grape Vine Moth | 3504-03 | 3104-25 | EGVM | 1C / IIID / IIB |
| <i>Lymantria dispar</i> | Gypsy Moth | 3507-03 | 3707-25 | GM | 1C / IIID / IIC |
| <i>Mamestra configurata</i> | Bertha Armyworm | 4415-03 | 3415-25 | BRA | 1C / BUC / VI |
| <i>Opogana sacchari</i> | Banana Moth | | 3269-25 | BM | 1C / VI / IIC |
| <i>Orgyia leucostigma</i> | Whitemarked Tussock Moth | 4433-03 | 3433-25 | WMT | 1C / VI / IIC |
| <i>Orthosia hibisci</i> | Speckled Green Fruit Worm | | 3510-25 | SGF | 1C / VI / IIC |
| <i>Paranthrene robiniae</i> | Western Poplar Clearwing | 4440-03 | 3440-25 | WPCM | 1C / VI / IIC |
| <i>Parapediasia teterrella</i> | Bluegrass Webworm | 4220-03 | 3220-25 | BWW | 1C / IIB / IIC |
| <i>Phthorimaea operculella</i> | Potato Tuberworm | 3537-02 | 3137-30 | PTM-I | 1C / VI / IIC |
| <i>Phyllonorycter blancardella</i> | Spotted Tentiform Leafminer | 3544-03 | 3144-25 | TLM | 1C / VI / IIC |
| <i>Platynota flavedana</i> | Variiegated Leafroller | 4209-03 | 3209-25 | VLR | 1C / VI / IIC |
| <i>Plutella xylostella</i> | Diamondback Moth | 3539-03 | 3139-25 | DBM | 1C / BUC / VI |
| <i>Podosesia syringae</i> | Lilac Borer/Ash Borer | 4224-03 | 3224-25 | LILA | 1C / VI / IIC |
| <i>Prays nephelomima</i> | Citrus Flower Moth | 4216-03 | 3216-25 | CFM | 1C / IIB / II |
| <i>Prionoxystus robiniae</i> | Carpenter Worm | | 3257-25 | CWM | 1C / VI / IIC |
| <i>Pseudaletia unipuncta</i> | True Armyworm | 4205-03 | 3205-25 | AMW | 1C / BUC / VI |
| <i>Sabulodes aegrotata</i> | Omnivorous Looper | 4421-03 | 3421-25 | OLP | 1C / VI / IIC |
| <i>Sesamia nonagrioides</i> | Corn Stalk Borer | 4464-06 | | CSBR | 1C / VI / IIC |
| <i>Spilonota ocellana</i> | Eye Spotted Budmoth | 4519-03 | 4119-25 | ESBM | 1C / VI / IIC |
| <i>Spodoptera exempta</i> | Nutgrass Armyworm | 4404-03 | 3404-25 | SPOD-III | 1C / BUC / VI |
| <i>Stenoma catenifer</i> | Avocado Seed Moth | | 3191-25 | ASM | 1C / VI / IIC |
| <i>Synanthedon bibionipennis</i> | Strawberry Crown Moth | 4207-03 | 3207-25 | SCM | 1C / VI / IIC |

CATEGORY II continued

| Scientific Name | Common Name | Product Code 3-Station Kits (12 weeks) | Product Code Lures (4 week lures) | Acronym | Trap |
|--------------------------------------|-------------------------|---|--------------------------------------|---------|----------------|
| <i>Synanthedon exitiosa</i> | Greater Peachtree Borer | 3546-03 | 3146-25 | GPTB | 1C / VI / IIC |
| <i>Synanthedon myopaeformis</i> | Apple Clearwing Moth | 4215-03 | 3215-25 | ACM | 1C / VI / IIC |
| <i>Synanthedon pictipes</i> | Lesser Peachtree Borer | 3540-03 | 3140-25 | LPTB | 1C / VI / IIC |
| <i>Synanthedon scitula</i> | Dogwood Borer | 4425-03 | 3425-25 | DWB | 1C / VI / IIC |
| <i>Synanthedon sequoiae</i> | Sequoia Pitch Moth | 4410-03 | 3410-25 | SPM | 1C / VI / IIC |
| <i>Synanthedon tipuliformis</i> | Currant Clearwing Moth | 4230-03 | 3230-25 | CURM | 1C / VI / IIC |
| <i>Thaumetopoeae pityocampa</i> | Pine Processionary Moth | | 4125-25 | PPM | 1C / VI / IIC |
| <i>Thyridopteryx ephemeraeformis</i> | Bagworm | 4418-03 | 3418-25 | BGW | 1C / VI / IIC |
| <i>Trichoplusia ni</i> | Cabbage Looper | 3519-03 | 3119-25 | CL | 1C / BUC / VI |
| <i>Tuta absoluta</i> | Tomaton Leafminer | | 3710-25 | TA | |
| <i>Xestia c-nigrum</i> | Spotted Cutworm | 4441-03 | 3441-25 | SCW | 1C / VI / IIC |
| <i>Xylomyges curialis</i> | Citrus Cutworm | 4428-03 | 3428-25 | CCW | 1C / VI / IIC |
| <i>Yponomeuta malinellus</i> | Apple Ermine Moth | 4430-03 | 3430-25 | AEM | 1C / IIB / IIC |

CATEGORY III

| Common & Scientific Name | Product Code 3-Station Kits | Product Code Lures | Product Code Trap | Acronym | Trap |
|---|--------------------------------|-------------------------------|----------------------|--|-------------------------------|
| <i>Amyelois transitella</i> (Navel Orangeworm) Egg Trap PHEROCON IV Navel Orangeworm Traps (Black) 50/cs PHEROCON IV Navel Orangeworm Traps (White) 50/cs | | | 3320-50 3319-50 | NOW NOW | |
| <i>Amyelois transitella</i> (Navel Orangeworm) Bait PHEROCON VI BAIT (NOW) 1 lb Package PHEROCON VI BAIT (NOW) 15 gr, 50/cs | | 3318-01 3317-50 | | NOW NOW | PIV PIV |
| <i>Amyelois transitella</i> (Navel Orangeworm) Pheromone Lures NOW L ² - L - 4-6 week lures (25/cs) NOW L ² - H - 6-8 week lures (25/cs) *Suggested Trap PHEROCON VI Delta Orange | | 3196-25 3197-25 | | NOW L ² - L NOW L ² - H | 1C / VI 1C / VI |
| <i>Anthonomus eugenii</i> (Pepper Weevil) - 4-Station Kit (2-3 week lures) (8 traps & 4 dual lures) - 4-Station Kit (2-3 week lures) (4 traps & 4 dual lures) | 4424-08 4424-04 | | | PEW PEW | PEW PEW |
| <i>Aonidiella aurantii</i> (California Red Scale) - 5-Station Kit (4-6 week lures) (10 traps & 5 lures) | 3501-01 | 3101-25 | | CRS | V |
| <i>Bactrocera (Dacus) oleae</i> (Olive Fruit Fly) - 3-Station Kit (4 week lures) (6 unbaited traps, 6 pheromone lures & 6 peelable supercharger kairomone lures) | 4213-06 | | | OLF | AM / NB |
| <i>Cotinis nitida</i> (Green June Beetle) - 4 week lures (10 pack) | | 3449-10 | | GJB | JB |
| <i>Diabrotica spp.</i> (AM No-Bait (Aphids, Fungus Gnats, Leafminers, Thrips, White Flies) / Corn Rootworm) - 3-Station Kit (9 unbaited traps) | 3506-03 | | | AM/NB | AM / NB |
| <i>Drosophila suzukii</i> (Spotted Wing Drosophila) Traps SWD Trap - Mesh (10/cs) | | | 5001-10 | SWD | SWD |
| <i>Drosophila suzukii</i> (Spotted Wing Drosophila) Lures High Specificity Lure (Peelable) / Low Capture of non-target (10/cs) Broad Spectrum Dual Lure (Peelable) / High Capture (10/cs) | | 5001-1R 5001-1B | | SWD SWD | SWD SWD |
| <i>Euzophera semifuneralis</i> (American Plum Borer) - 3-Station Kit (4 week lures) | 4411-03 | 3411-25 | | APB | 1C / IIB / IIC |
| <i>Monochamus galloprovincialis</i> (Pine Sawyer Beetle) | | 3450-25 | | PSB | |
| <i>Pityogenes chalcographus</i> (Six-Toothed Spruce Bark Beetle) | | 3247-25 | | SBB | |
| <i>Planococcus citri</i> (Citrus Mealybugs) | | 3267-25 | | CTMB | V / II |
| <i>Pseudococcus maritimus</i> (Grape Mealybugs) | | 3245-25 | | GMB | V / II |
| <i>Pseudococcus viburni</i> (Obscure Mealybugs) | | 3190-25 | | OMB | V / II |
| <i>Planococcus ficus</i> (Vine Mealybugs), 3-Station Kit | 4522-03 | 4122-25 | | VMB | V / II |
| <i>Quadraspidiotus perniciosus</i> (San Jose Scale) - 5-Station Kit (4-6 week lures) (10 traps & 5 lures) | 3545-01 | 3145-25 | | SJS | V |
| <i>Rhagoletis completa</i> (Walnut Husk Fly) and <i>Rhagoletis cingulata</i> (Cherry Fruit Fly) WHF & CFF - 3-Station Kit (9 peelable superchargers with 9 unbaited traps) WHF & CFF - Peelable Superchargers | 4505-04 | 3704-25 | | WHF / CFF WHF / CFF | AM / NB AM / NB |
| <i>Rhagoletis pomonella</i> (AM-Apple Maggot Fruit Fly) - 3-Station Kit, with food attractant (9 traps) | 3505-03 | | | AM | AM |
| <i>Rhynchophorus ferrugineus</i> (Red Palm Weevil) | | 4128-25 | | RDPW | |
| Stink Bug Lures <i>Acrosternum hilare</i> (Green Stink Bug), <i>Plautia stali</i> (Brown-winged Green Bug), & Others (5/cs) <i>Euschistus conspersus</i> (Conspere Stink Bug), <i>Euschistus servus</i> (Brown Stink Bug), & Others (25/cs) <i>Halyomorpha halys</i> (Brown Marmorated Stink Bug), & Others (5/cs) | | 3720-05 3237-25 3714-05 | | GSB CSB BMSB | SBT/SBS SBT/SBS SBT/SBS |
| Stink Bug Traps Stink Bug STKY™ Dual Panel Adhesive Trap (5/cs) | | | 3326-05 | SB | SBS |

COMPONENT PRODUCTS

See back

NOTE: Please ask if we can make pheromones that are not listed in our catalog. Often we can provide them if the pheromone has been identified.

COMPONENT PRODUCTS

| Product | Primary Insects | Product Code 25/cs | Product Code 100/cs |
|--|------------------------------------|--------------------|---------------------|
| PHEROCON® 1C Traps | OFM, PTB & Others | 3302-25 | 3302-00 |
| PHEROCON® 1C Traps with Plastic Tops | OFM, PTB & Others | 3300-25 | 3300-00 |
| PHEROCON® 1C Liners | OFM, PTB & Others | 3322-25 | 3322-00 |
| PHEROCON® 1CP Traps | CM, RBLR | 3303-25 | 3303-00 |
| PHEROCON® 1CP Traps with Plastic Tops | CM, RBLR | 3304-25 | 3304-00 |
| PHEROCON® 1CP Liners | CM, RBLR | 3323-25 | 3323-00 |
| PHEROCON® 1C & 1CP Plastic Tops | OFM, PTB & Others | 3301-25 | 3301-00 |
| PHEROCON® 1C & 1CP Trap Tops | OFM, PTB & Others | | 3310-00 |
| PHEROCON® 1CD Traps | OFM, PTB & Others | | 3302-01 |
| PHEROCON® 1CD Trap Tops | OFM, PTB & Others | | 3310-01 |
| PHEROCON® II Traps | CM, PBW, MFF & Others | | 3311-00 |
| PHEROCON® IIB Traps | OFM, PTB & Others | 3312-W4 | 3312-W9 |
| PHEROCON® IIC Traps | OFM, PTB & Others | 4310-W4 | 4310-W9 |
| PHEROCON® III Delta Traps (Orange) | PBW & GM | | 3307-00 |
| PHEROCON® III Delta Traps (Green) | PBW & GM | | 3307-01 |
| PHEROCON® V CRS/SJS Traps | CRS/SJS | 3329-25 | |
| PHEROCON® V Tent Traps | SJS | 3327-25 | |
| PHEROCON® VI Delta (White/Assembled) - 25 traps, 50 liners | CM, PNCB & Others | 3314-25 | |
| PHEROCON® VI Delta (Orange/Assembled) - 25 traps, 50 liners | CM, PNCB & Others | 3315-14 | |
| PHEROCON® VI Delta (White/Unassembled) - 25 traps, 50 liners | CM, PNCB & Others | 3314-30 | |
| PHEROCON® VI Delta (Orange/Unassembled) - 25 traps, 50 liners | CM, PNCB & Others | 3315-30 | |
| PHEROCON® VI Delta Liners | CM, PNCB & Others | | 3354-00 |
| PHEROCON VI Unassembled Trap (White) with Clean Brake Liners - 25 traps, 50 liners | CM, PNCB & Others | 3314-34 | |
| PHEROCON IV Clean Brake Liners | CM, PNCB & Others | | 3354-03 |
| PHEROCON® BW Traps | Boll Weevil | 3335-25 | |
| PHEROCON® AM Traps | AM | | 3305-00 |
| PHEROCON® AM No-Bait Traps | WHF, CFF, CRW, Leafminers & Others | | 3306-00 |
| PHEROCON® JT Traps (Jackson) Inserts | MFF | | 3346-02 |
| PHEROCON® JT Traps (Jackson) Body | MFF | | 3343-00 |

| Product | Primary Insects | Product Code/ea |
|-----------------------------------|---------------------|-----------------|
| Bucket Traps (Yellow/White/Green) | BAW, NPTM, & Others | 3337-02 |
| Bucket Traps (Green) | BAW, NPTM, & Others | 3337-01 |

Product

Japanese Beetle Traps and Lures - *Call for pricing*

Terms and Conditions

ORDERING INFORMATION:

Customer Service:
 Telephone: (918) 785-3061
 Fax: (918) 785-3063
 E-Mail: custserv@trece.com
 Mail: P.O. Box 129, Adair, OK 74330
 Customer Support: <http://www.trece.com>

TERMS AND CONDITIONS:

Minimum Order: \$250.00
 Credit Terms: Net 30 days from Date of Invoice.
 Credit Cards: VISA or MASTERCARD are accepted.
 Bank Wire Information: Available upon request.

NOTE: Please have your bank send funds to their corresponding U.S. bank to forward to Trécé's bank. Details listed above.

Payment currency is requested to be in United States Dollars (USD) or United States Funds (USF).

Trécé, Inc. will not be responsible for any banking charges incurred in bank transfers to Trécé, Inc. accounts.

Prices are subject to change without notice.

SHIPPING INFORMATION:

Freight Terms: FOB, TRÉCÉ plant, Adair, OK (74330), C.I.F. proforma pricing, available upon request; freight, handling, insurance, duties and taxes are for buyers account.

Delivery: Please allow two (2) weeks for delivery of shipment after receipt of order.

Commodity Shipping Kit Description: Insect Monitoring Device.

IMPORTANT NOTICE:

Concerning the use of STORGARD® and PHEROCON® Attractants, insect traps and kits: These materials are supplied by TRÉCÉ, INC. to provide a means for monitoring insect populations as a guide to the timing of spray applications and other pest management operations for certain insects. The material should be regarded as a supplementary aid in insect control planning. However, spray programs should not be altered solely on the data obtained from the use of these materials. Users of these materials shall themselves determine the usability of the products for their intended uses and shall assume all risk and liability arising from such uses.

It is strongly recommended that users consult with qualified commercial pest management consultants or representatives of extension services, universities or governmental agricultural departments.

- All kits purchased with the PHEROCON® VI trap will be at a higher price. Please contact our Customer Service Department for pricing.
- Any kit may be purchased with the new PHEROCON® IIB Trap. Please contact our Customer Service Department for pricing.
- **NOTE:** All 3-Station Kits may be purchased as 1-Station Kits. Please contact our Customer Service Department for details.
- Lures may be purchased in Convenience Packs of 25 units contained in a sealed zip-lock pouch at the same price as our Standard Package.



1-866-785-1313 | www.trece.com