



IPM PARTNER®

Please Distribute

# Field Reporter™

Your Edge --- And Ours ---- Is Knowledge

Volume 2

IPM PARTNER® FIELD REPORTER  
FEBRUARY 25, 2009

**NOTE: Oriental Fruit Moth (OFM)** – Moth catch is expected in all areas as soon as weather warms. Traps should be in place for that warm weather.

**Kern County** (Delano/McFarland): **OFM** – No activity

**Tulare County** (NE Kingsburg area): **OFM** – No activity

**Madera County** : **OFM** - No activity

**Merced County** (Ballico & Winton areas): **OFM** – A few moths trapped but no sustained flight

**Sacramento County** (Delta area): **OFM** – No activity

**Sutter County** (Yuba City): **OFM** – No activity

**NOTE: Mark you calendars for the dates listed below.**

**FEBRUARY:** OFM, OLR and SJS traps should be set.

**MARCH:** CM, CM-DA COMBO, DA, CM 10X, CRS, DBM AND PTB traps should be set.

TrECE is pleased to announce their latest scientific innovation, **CIDETRAK® Mating Disruptant, an intelligently simple high performance dispenser for Codling Moth and Oriental Fruit Moth mating disruption.** Also, don't forget **PHEROCON® CM-DA COMBO** multi-gender attractant for monitoring which will give you a definite edge in your battle against the codling moth, your toughest competition. This lure has been proven to be the most effective codling moth lure on the market today. For more information on CIDETRAK or DA and CM-DA COMBO lures, and how to interpret data from trap capture, contact Jeff Downs, National Sales Manager, at 559-285-8448.

The IPM PARTNER® Field Reporter™ will also be published on our website [www.trece.com](http://www.trece.com)

	Cellular Phone	Office	E-Mail
Jeff Downs, National Sales Manager	(559) 285-8448	(661) 679-9778	<a href="mailto:jdowns@trece.com">jdowns@trece.com</a>
Donna Lingren, Marketing Manager	(918) 261-1377	(918) 785-3061	<a href="mailto:donnalingren@earthlink.net">donnalingren@earthlink.net</a>
Debi Bilby, Customer Service Representative		(918) 785-3061	<a href="mailto:dbilby@trece.com">dbilby@trece.com</a>

**NOTE:** The foregoing is supplied as a general information guideline only. This information is specific to the site location from which it was obtained. For optimum pest management decision making, each orchard site should be individually monitored with traps and environmental monitoring equipment.