



IPM PARTNER®

Please Distribute

Field Reporter™

Your Edge --- And Ours ---- Is Knowledge

Volume 3

IPM PARTNER® FIELD REPORTER
MARCH 11, 2009

Kern County (Delano/McFarland): **OFM** – Tentative biofix 3/3.

Tulare County (NE Kingsburg area): **OFM** – None trapped to date in Mating Disruption blocks.
OLR – A few trapped. Biofix not set.

Madera County: **OFM** - Biofix 3/7, 30DD. **OLR** – Biofix 3/7, 14DD.

Merced County (Ballico & Winton areas): **OFM** – Biofix 2/25. 104DD.

Sacramento County (Delta area):**OFM** – No activity in pears. **CM** – Traps to go out next week.

Sutter County (Yuba City): **OFM** – Biofix 2/25, 79DD.

Butte County (Gridley): **OFM** – Biofix 2/27, 81DD.

NOTE: Mark you calendars for the dates listed below.

MARCH: CM, CM-DA COMBO, DA, CM 10X, CRS, DBM AND PTB traps should be set.

Tréce is pleased to announce their latest scientific innovation, **CIDETRAK® Mating Disruptant**, an intelligently simple high performance dispenser for **Codling Moth and Oriental Fruit Moth mating disruption**. Also, don't forget **PHEROCON® CM-DA COMBO** multi-gender attractant for monitoring which will give you a definite edge in your battle against the codling moth, your toughest competition. This lure has been proven to be the most effective codling moth lure on the market today. For more information on CIDETRAK or DA and CM-DA COMBO lures, and how to interpret data from trap capture, contact Jeff Downs, National Sales Manager, at 559-285-8448.

The IPM PARTNER® Field Reporter™ will also be published on our website www.trece.com

	Cellular Phone	Office	E-Mail
Jeff Downs, National Sales Manager	(559) 285-8448	(661) 679-9778	jdowns@trece.com
Donna Lingren, Marketing Manager	(918) 261-1377	(918) 785-3061	donna lingren@earthlink.net
Debi Bilby, Customer Service Representative		(918) 785-3061	dbilby@trece.com

NOTE: The foregoing is supplied as a general information guideline only. This information is specific to the site location from which it was obtained. For optimum pest management decision making, each orchard site should be individually monitored with traps and environmental monitoring equipment.